Report title	**GHG Emission Report, v1.1**
Indicator	**1.21.4**

Instructions

This template is intended for reporting greenhouse gas emissions results to ASC. The Feed Standard does not prescribe a specific standard or set of methods for generating GHG values. However, suppliers should be aware that the development of the Farm Standard requirements may necessitate the application of specific methods for feed emissions in the future.

Emissions can be reported in either or both columns using a biophysical or economic allocation approach. Emissions results must be provided according to scope (1-3) as well as by input/activity, being general feed ingredient categories and additional transport and milling emissions that aren't otherwise captured within ingredients. 'Transport and milling' emissions should be at least equal to the sum of scope 1 and scope 2 emissions. If possible, emissions should also be broken down by category (fossil, biogenic, or land use change), facilitated by certain databases and assessment methods. Any uncategorized emissions should be reported as 'Unspecified emissions' (If feed suppliers are unable to determine emissions by category, the total of all emissions can be reported as unspecified).

This template is also expected to reflect the resolution of data that feed suppliers will need to provide to farms to satisfy feed-related emissions modeling for the Farm Standard. Feed suppliers should be ready to adjust the composition of ingredients used in calculations to reflect typical compositions of feeds relevant to each producer, whether that is on a producer-level or a general species-level (e.g. average ASC-compliant salmon feed composition), so that relevant emissions estimates are available to aquaculture producers for their own calculations.
Only enter data in blue cells.

Table 1. Production year

Year of production (yyyy)	2025

Table 2. GHG emissions by scope

	GHG emissions per tonne of ASC compliant feed (kg CO_2-eq/t)	
Emissions scope	**Biophysical (mass) model**	**Economic model**
Scope 1	165.898	165,898
Scope 2	86.057	86,057
Scope 3	1.189.442	1264,802
Total	1441397	1516,757

Table 3. GHG emissions by category

Emissions category	**Biophysical (mass) model**	**Economic model**
Fossil emissions	1.126	1128,025
Biogenic emissions	25	25,905
Land use change emissions	290	362,826
Unspecified emissions	0	0
Total	1441,396	1516,756

Table 4. GHG emission by Input / Activity

Input / Activity	**Quantity (kg/t)**	**Biophysical (mass) model**	**Economic model**
Soy crop inputs	443.299	373	480,1
Other crop inputs	525.774	385	415,2135
Reduction fishery inputs			
Fishery by-product inputs	30.928	77,0399	15,181
Poultry / livestock inputs			
Other feed inputs			
Transport and milling		315,741	315,741
Total	1000001	1150,8747	1226,2355

Notes

All emissions values must be reported in units of kg CO_2-equivalent per tonne of ASC compliant feed.

Emissions totals for each section should be equivalent.

Total feed input quantity (kg/t) must equal 1000. Use 'Other feed inputs' to make up any difference from 1000 kg. 'Other feed inputs' should also include vitamins, amino acids, and other microingredients.

Transport-related emissions may be difficult to separate from ingredient production and processing emissions, depending on the data source used. Do not include any transport emissions in 'Transport and milling' that are already counted in the emissions of one of the ingredient groups.